

SPIROL®

PIN INSTALLATION TECHNOLOGY

Model HC Horizontal, Dual Pin Inserter

This lightweight, portable, horizontal Pin Inserter is designed to install **SPIROL Series 550 Coiled Pins** into plastic hinges. The cylinder/driving head modules can be moved in and out with ease, and fixture changes are simple which enables quick conversion from one assembly to another. This machine quickly and effectively delivers the pins automatically to the installation site eliminating the need for the operator to touch them during the entire assembly operation. This machine dramatically increases production efficiency with minimal operator training and effort.



Design Features/Benefits:

- Precise:** - Fine pin depth adjustment
- Poka-Yoke Design:** - Pin presence sensing
- Built to Last:** - Hardened pin guide bushings
- Tooled stainless steel vibratory feeder bowl
- Efficient:** - Quick clear rotary pin shuttles
- High speed steel insertion rams with integral part sensing actuators
- Versatile:** - Can easily be changed over to install pins in round or rectangular cases
- Quick change pin shuttle allows the operator to change pin sizes with ease
- Low Maintenance:** - Non-lubricating pneumatics



SPIROL® Series 550
Coiled Pins

SPIROL® Model HC
Change-over Kit

Optional alignment fixtures – fixed position or linear slide style – available.

Europe **SPIROL United Kingdom**
17 Princewood Road
Corby, Northants
NN17 4ET United Kingdom
Tel: +44 (0) 1536 444800
Fax: +44 (0) 1536 203415

SPIROL France
Cité de l'Automobile ZAC Croix Blandin
18 Rue Léna Bernstein
51100 Reims, France
Tel: +33 (0) 3 26 36 31 42
Fax: +33 (0) 3 26 09 19 76

SPIROL Germany
Ottostr. 4
80333 Munich, Germany
Tel: +49 (0) 89 4 111 905 71
Fax: +49 (0) 89 4 111 905 72

SPIROL Spain
Plantes 3 i 4
Gran Via de Carles III, 84
08028, Barcelona, Spain
Tel/Fax: +34 932 71 64 28

SPIROL Czech Republic
Evropská 2588 / 33a
160 00 Prague 6-Dejvice
Czech Republic
Tel: +420 226 218 935

SPIROL Poland
ul. Solec 38 lok. 10
00-394, Warsaw, Poland
Tel. +48 510 039 345

Americas **SPIROL International Corporation**
30 Rock Avenue
Danielson, Connecticut 06239 U.S.A.
Tel. +1 860 774 8571
Fax. +1 860 774 2048

SPIROL Shim Division
321 Remington Road
Stow, Ohio 44224 U.S.A.
Tel. +1 330 920 3655
Fax. +1 330 920 3659

SPIROL Canada
3103 St. Etienne Boulevard
Windsor, Ontario N8W 5B1 Canada
Tel. +1 519 974 3334
Fax. +1 519 974 6550

SPIROL Mexico
Avenida Avante #250
Parque Industrial Avante Apodaca
Apodaca, N.L. 66607 Mexico
Tel. +52 81 8385 4390
Fax. +52 81 8385 4391


SPIROL Brazil
Rua Mafalda Barnabé Soliane, 134
Comercial Vitória Martini,
Distrito Industrial,
CEP 13347-610, Indaiatuba, SP, Brazil
Tel. +55 19 3936 2701
Fax. +55 19 3936 7121

Asia Pacific **SPIROL Asia Headquarters**
1st Floor, Building 22, Plot D9, District D
No. 122 HeDan Road
Wai Gao Qiao Free Trade Zone
Shanghai, China 200131
Tel: +86 (0) 21 5046-1451
Fax: +86 (0) 21 5046-1540

SPIROL Korea
16th Floor, 396 Seocho-daero,
Seocho-gu, Seoul, 06619, South Korea
Tel: +82 (0) 10 9429 1451

e-mail: info-uk@spirol.com

SPIROL.co.uk



Application:

A world-class plastic molder was mass producing a cosmetic case. The lid and base were hinged together by two pieces of solid cut wire. The installation equipment was worn, the process was slow, and the case was cracking and squeaking when it was opened and closed. The lids also became “floppy” after repeated opening and closing, and they failed to stay open. To remain competitive, the molder needed to decrease the assembly time and eliminate the quality issues of cracking, squeaking, and flopping. They also wanted to be able easily convert the assembly machine to handle a wide number of case styles and shapes.

Solution:

SPIROL's Application Engineers recommended a total assembly solution. To correct the problems with the quality of the case, a **SPIROL Series 550 Extra Light Duty Coiled Pin** replaced the cut wire as the hinge pin. The Coiled Pin's inherent flexibility eliminated the cracking of the plastic, and its radial expansion resulted in the lid remaining in any position desired by the user with no noise throughout its entire arc. These pins are installed with a **SPIROL** standard **Model HC Dual Pin Inserter**. This unit can install all standard **Series 550 Coiled Pins** with minor change-over and adjustments. It also accommodates nearly any case configuration by moving the insertion heads in and out and changing the cavity tooling in the fixture unit.



SPIROL offers complimentary Application Engineering support. We will assist on new designs as well as help resolve issues, and recommend cost savings on existing designs. Let us help by visiting **Application Engineering Services** on SPIROL.co.uk.